



# **RG-PSE**

**V1.01**

©2000-2012



<http://www.ruijie.com.cn/>

<http://webchat.ruijie.com.cn>

8:30      6      “      ”

<http://www.ruijie.com.cn/service.aspx>

7 × 24

4008-111-000

<http://support.ruijie.com.cn>

[service@ruijie.com.cn](mailto:service@ruijie.com.cn)



WEB



# 1

High leakage current, earth connection essential before connecting power supply.

Be sure that all cables are connected to the sockets grounding correctly.

There is more than one power input. Be sure that all power cables are pulled out before you power down the system.

Electrostatic sensitive device inside. Please wear the anti-ESD ring before handling.

M-1050P

Hazardous moving parts, keep fingers and body parts away.

80kg  
Weight may exceed 80Kg.

Don't use this handle to lift the chassis.

Heavy moving parts    Guard against slide when plugging in or out.

Users are not allowed to repair the parts within the device. Please contact qualified technical personnel if necessary.

2

|        |          |     |        |      |              |
|--------|----------|-----|--------|------|--------------|
| RG-PSE | RG-S7800 | POE | RG-PSE | 800W | RG-PA800-PSE |
|        | 1600W    |     |        |      |              |
| "      | POE      |     |        |      |              |

3

|   |  |     |      |
|---|--|-----|------|
| " |  |     |      |
| " |  | PSE | 800W |
| " |  |     |      |

4

/

|  |            |
|--|------------|
|  | -10°C-55°C |
|  | -40°C-70°C |
|  | 10%-90%    |

”

”

”

”

”

“

”

S7800

”

90VAC~264VAC 47Hz~63Hz

”

2000W

|  |     |  |
|--|-----|--|
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  | 500 |  |

æ Ó ] n ‘ û • d

5

RG-PSE

”

”

RG-PSE

”

RG-PSE

”

RG-PSE

RG-PA800-PSE

RG-PSE

5-1 PSE

DC OUT      LOAD-

DC OUT      LOAD+      DC OUT  
PSE

RS232/RS485  
8F1DC OP85

**RG-PSE-M**

|          |        |    |       |
|----------|--------|----|-------|
| RG-PSE-M | 2 6 8  | on | 2 6 8 |
| RG-PSE-M | RG-PSE |    |       |



”

” 20%

2

| RG-S7800    | PoE | POE (W) |
|-------------|-----|---------|
| M7800P-48GT |     | 15.4x48 |

9

”

”

”

10

1

” RG-PSE

” PSE

”

2 RG-PSE

RG-PSE

”

” RG-PSE-M RG-300P

